



rec'd 12/22/77

JUNKUNG BROS.

# American<sup>®</sup>



**A WORLD OF SECURITY**  
**A WORLD OF SECURITY**

CATALOG NO. 10



# American



**All American padlocks have steel balls that lock them solid.**

## ULTRA-SECURITY



### No. 747 THE BIG ONE Shrouded Shackle Padlock

Designed to stand the test of time and force better than any other padlock available. The hardened steel case 2½" wide is formed to provide a shroud which prevents even the most powerful cutters from reaching and attacking the hardened ⅞" alloy steel shackle. The special design permits its use with most hasps and other locking applications. Changeable and re-keyable six-pin tumbler cylinder is recessed and protected to prevent drilling and pulling. Hardened steel locking balls, shackle clearance 1", inside shackle width ⅝". Available keyed alike at no extra charge; master keying and master keys extra.



The No. 2000 Superlock fits most types of hasps. Recommended hasps are American Nos. 825, 535, and for contour applications, 885A and 875A.



Superlock shown above, is locked into the American No. 825 Hasp.

### Series 2000 SUPERLOCK

**Revolutionary new type patented shackleless hasp lock.**

2⅞" diameter solid one-piece case, bright chrome finish. Reinforced with nine special ¼" hardened steel pins for extra security. Locking rod ⅜". Nothing is exposed—invulnerable to bolt cutters, hacksaws, hammers, or prybars. High security 6-pin tumbler cylinder with mushroom pins. Removable cylinder for fast and convenient servicing. Available keyed alike at no extra charge; master keying and master keys extra. Available also with heavy-duty 10" chain; specify No. 2000CH.



FOR CONTOUR APPLICATIONS—Shown above is double-hinged Flex-O-Hasp No. 885A with No. 2000 Superlock. Details about all hasps shown on page 7.



Superlock (with optional 10" chain) is shown above with the No. 535 hasp.

## TUBULAR CYLINDER PADLOCKS

**7 PIN-TUMBLER DESIGN—Almost a million possible key-changes.**



### No. HT-15

2" wide solid hardened steel case and alloy steel shackle, bright chrome plated. Shackle diameter ⅞", inside shackle width ¾", shackle clearance 1⅞". Hardened steel locking balls. Removable cylinder for fast and convenient servicing. Available keyed alike at no extra charge.

**No. HT-15C**—Same as HT-15, but carded.

**No. HT-16**—Same as HT-15, but 2" shackle clearance.



The cylinder of tubular design is removable for easy replacement. Cylinder is case-hardened steel to prevent drilling.



### No. T-900

2½" wide solid hardened steel case and alloy steel shackle, bright chrome plated. Shackle diameter ⅞", inside shackle width ⅝". Shackle clearance 1⅞". Hardened steel locking balls. Removable cylinder for fast and convenient servicing. Available keyed alike at no extra charge.

**No. T-900C**—Same as T-900, but carded.

**No. T-901**—Same as T-900, but 2" shackle clearance.



# SOLID HARDENED STEEL SECURITY

**american**

## No. 600 5-Pin Tumbler Padlock

Provides high strength plus the added security of 5-pin tumbler operation. A special feature of this series and all the padlocks in the 100, 200, and 260 series shown below is the fast and convenient servicing made possible by the solid extruded brass cylinders that are removable and re-keyable. Hardened one-piece steel case is 2½" wide. Gleaming bright chrome finish. Hardened ¾" diameter alloy steel shackle is bright chrome plated. Virtually unlimited key changes, self-locking shackle but also available with deadlocking or key retaining feature at no extra cost. Shackle clearance 1", inside shackle width ⅝". Hardened steel locking balls. Available keyed alike at no extra charge; master keying and master keys extra.

**No. 600C**—Same as 600, but carded.

**No. 601**—Same as 600, but 2" shackle clearance.



**All padlocks come with two brass keys unless otherwise stated.**

## 5-PIN TUMBLER SOLID STEEL PADLOCKS

Fast and convenient servicing made possible by the solid extruded brass cylinders that are removable and re-keyable.



Removable extruded brass cylinder.



### No. 100

Solid one-piece steel case with satin chrome finish 1½" wide. Case hardened steel shackle ¼" diameter bright chrome plated, shackle clearance 1", inside shackle width ¾". Virtually unlimited key-changes, self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost. Available keyed alike at no extra charge; master keying and master keys extra.

**No. 100C**—Same as 100, but carded.

**No. 101**—Same as 100, but 1½" shackle clearance.

**No. 102**—Same as 100, but 3" shackle clearance.



### No. 200

Solid one-piece steel case with satin chrome finish 1¾" wide. Case hardened steel shackle ⅝" diameter bright chrome plated, shackle clearance 1½", inside shackle width ¾". Virtually unlimited key-changes, self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost. Available keyed alike at no extra charge, master keying & master keys extra.

**No. 200C**—Same as 200, but carded.

**No. 201**—Same as 200, but 2" shackle clearance.

**No. 202**—Same as 200, but 3" shackle clearance.



### No. 260

Solid one-piece steel case with satin chrome finish 2" wide. Case hardened alloy steel shackle ⅝" diameter bright chrome plated. Shackle clearance 1½", inside shackle width ¾". Virtually unlimited key-changes, self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost. Available keyed alike at no extra charge; master keying & master keys extra.

**No. 260C**—Same as 260, but carded.

**No. 261**—Same as 260, but 2" shackle clearance.

**No. 262**—Same as 260, but 3" shackle clearance.

## 10-BLADE TUMBLER PADLOCKS

- Virtually impossible to force with bolt cutter, crowbar, or sledge hammer.
- Hardened steel locking balls.
- Ideal for outdoor use.

### No. H10

Solid hardened steel one-piece case 2" wide, cadmium plated. Case hardened steel shackle ⅝" diameter, cadmium plated. Shackle clearance 1½", inside shackle width ¾". Solid brass cylinder and locking cam. Self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost. Available keyed alike at no extra charge.

**No. H10C**—Same as H10, but carded.

**No. H10 Chrome**—Same as H10, but bright chrome plated.

**No. H11**—Same as H10, but 2" shackle clearance.

**No. H9 (Not illustrated)**—Same as H10, but ¾" shackle clearance.





# American



**Most American 5-pin tumbler padlocks have removable and interchangeable brass cylinders.**

## 5-PIN TUMBLER SECURITY

A special feature of the 530, 560, and 570 Series shown below is the fast and convenient servicing made possible by the removable and re-keyable extruded brass cylinders. Hardened steel locking balls.

**SOLID  
EXTRUDED  
BRASS  
CASE**



### No. 530

Solid extruded brass case 1½" wide. Case hardened steel shackle ¼" diameter, bright chrome plated. Shackle clearance 1", inside shackle width ¾". Self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost. Available keyed alike at no extra charge; master keying and master keys extra.

**No. 530C**—Same as 530, but carded.

**No. 530B**—Same as 530, but has solid brass shackle.

**No. 531**—Same as 530, but 1½" shackle clearance.

**No. 532**—Same as 530, but 3" shackle clearance.



### No. 560

Solid extruded brass case 1¾" wide. Case hardened steel shackle ⅝" diameter, bright chrome plated. Shackle clearance 1½", inside shackle width ¾". Self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost. Available keyed alike at no extra charge; master keying and master keys extra.

**No. 560C**—Same as 560, but carded.

**No. 560B**—Same as 560, but has solid brass shackle.

**No. 561**—Same as 560, but 2" shackle clearance.

**No. 562**—Same as 560, but 3" shackle clearance.



### No. 570

Solid extruded brass case 2" wide. Case hardened steel shackle ¾" diameter, bright chrome plated. Shackle clearance 1½". Inside shackle width ¾". Self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost. Available keyed-alike at no extra charge; master keying and master keys extra.

**No. 570C**—Same as 570, but carded.

**No. 570B**—Same as 570, but has solid brass shackle.

**No. 571**—Same as 570, but 2" shackle clearance.

**No. 572**—Same as 570, but 3" shackle clearance.

**SOLID ONE-PIECE  
ZAMAC CASE**



### No. 95

A popular priced padlock of sturdy construction with 5-pin tumbler security. Hardened steel locking balls. Solid one-piece Zamac case 1½½" wide, with gold hammerloid finish. Case hardened shackle ⅝" diameter zinc plated. Shackle clearance ⅝". Inside shackle width ⅝". Non-removable cylinder. Available keyed alike at no extra charge.

**No. 95C**—Same as 95, but carded.

**No. 96**—Same as 95, but 1" shackle clearance.



### No. 105

A popular-priced 5-pin tumbler padlock with hardened steel locking balls. Solid one-piece Zamac case 1½" wide. Case hardened shackle ¼" diameter, bright nickel plated. Shackle clearance 1". Inside shackle width ¾". Non-removable cylinder. Available keyed alike at no extra charge; master keying & master keys extra.

**No. 105C**—Same as 105, but carded.

**No. 106**—Same as 105, but 1½" shackle clearance.

**No. 107**—Same as 105, but 3" shackle clearance.



### No. 205

Solid one-piece Zamac case 1¾" wide gold hammerloid finish. Hardened steel locking balls. Case hardened shackle, bright nickel plated. ⅝" diameter. Shackle clearance 1½". Inside shackle width ¾". Non-removable cylinder. Available keyed alike at no extra charge; master keying and master keys extra.

**No. 205C**—Same as 205, but carded.

**No. 206**—Same as 205, but 2" shackle clearance.

**No. 207**—Same as 205, but 3" shackle clearance.



### No. 305

Solid one-piece Zamac case 1¾" wide gold hammerloid finish. Hardened steel locking balls. Case hardened alloy steel shackle, bright nickel plated. ¾" diameter. Shackle clearance 1½". Inside shackle width ¾". Non-removable cylinder. Available keyed alike at no extra charge; master keying and master keys extra.

**No. 305C**—Same as 305, but carded.

**No. 306**—Same as 305, but 2" shackle clearance.

**No. 307**—Same as 305, but 3" shackle clearance.

Self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost.



# 10-BLADE TUMBLER SECURITY

A special feature of all the padlocks on this page is the fast and convenient servicing made possible by the removable and re-keyable brass cylinders. Hardened steel locking balls. Case-hardened steel shackle.

## No. A30


Solid one-piece extruded brass case 1½" wide. Case-hardened steel shackle ¼" diameter, bright chrome plated. Shackle clearance 1", inside shackle width ¾". Self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost. Available keyed alike at no extra charge.

**No. A30C**—Same as A30, but carded.

**No. A30B**—Same as A30, but has solid brass shackle.

**No. A31**—Same as A30, but 1½" shackle clearance.

**No. A32**—Same as A30, but 3" shackle clearance.



**SOLID  
EXTRUDED  
BRASS  
CASE**



**For ordering key blanks see page nine.**

## No. L50

Solid one-piece extruded brass case 1¾" wide. Case-hardened steel shackle ⅝" diameter, bright chrome plated. Shackle clearance 1½". Inside shackle width ¾". Self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost. Available keyed alike at no extra charge.

**No. L50C**—Same as L50, but carded.

**No. L50B**—Same as L50, but has solid brass shackle.

**No. L51**—Same as L50, but 2" shackle clearance.

**No. L52**—Same as L50, but 3" shackle clearance.



## No. K60

Solid one-piece extruded brass case 1¾" wide. Case-hardened alloy steel shackle ⅝" diameter, bright chrome finish. Shackle clearance 1½", inside shackle width ¾". Self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost. Available keyed alike at no extra charge.

**No. K60C**—Same as K60, but carded.

**No. K60B**—Same as K60, but has solid brass shackle.

**No. K61**—Same as K60, but 2" shackle clearance.

**No. K62**—Same as K60, but 3" shackle clearance.

**SOLID ONE-PIECE  
ZAMAC CASE**

**NEW**



## No. AC20

Solid one-piece Zamac case 1½" wide with gold hammerloid finish. Case-hardened steel shackle ¼" diameter, bright nickel plated. Shackle clearance 1", inside shackle width ¾". Self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost. Available keyed alike at no extra charge.

**No. AC20C**—Same as AC20, but carded.

**No. AC21**—Same as AC20, but 1½" shackle clearance.

**No. AC22**—Same as AC20, but 3" shackle clearance.

## No. LC30

Solid one-piece Zamac case 1¾" wide with gold hammerloid finish. Case-hardened steel shackle ⅝" diameter, bright nickel plated. Shackle clearance 1½", inside shackle width ¾". Self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost. Available keyed alike at no extra charge.

**No. LC30C**—Same as LC30, but carded.

**No. LC31**—Same as LC30, but 2" shackle clearance.

**No. LC32**—Same as LC30, but 3" shackle clearance.

## No. KC40

Solid one-piece Zamac case 1¾" wide with gold hammerloid finish. Case-hardened alloy steel shackle ⅝" diameter, bright nickel plated. Shackle clearance 1½", inside shackle width ¾". Self-locking shackle, but also available with deadlocking or key retaining feature at no extra cost. Available keyed alike at no extra charge.

**No. KC40C**—Same as KC40, but carded.

**No. KC41**—Same as KC40, but 2" shackle clearance.

**No. KC42**—Same as KC40, but 3" shackle clearance.




# American



**Most American padlocks and hasps are available carded—See back cover.**

*Meets Federal Specifications FF-P—101E—Type EC.*

- Gleaming heavy-gauge stainless steel outer case, electro-polished. Heavy inner case.
- Specially designed locking mechanism to withstand extreme abuse.
- Dial "Scrambler" security feature; spins dial away from last number when lock is snapped shut.



## No. 300 COMBINATION PADLOCK

Offering the utmost in security and economy, plus ease of operation, the American Combination Padlocks are used in thousands of schools, as well as on lockers in institutions and industry. This increasingly popular padlock offers long time service because of the precision interior construction plus the electro-polished stainless steel outer case. Attractive blue dial has easy to read white numbers with dial divisions from 1 to 40. Case diameter 2", shackle diameter 9/32" bright nickel plated, shackle clearance 3/4", inside shackle width 15/16". Comes individually boxed, 6 to carton.

**No. 300C**—Same as above but carded for self-service display racks.

**No. 300H**—Same as No. 300 but with hardened steel shackle.

### No. 300


- Self-locking (locks upon closing)—Automatic tumbler and dial disarrangement.
- Anti-manipulation feature—built-in sound effect to prevent picking.
- 64,000 possible combinations.

## New Unique Feature


**American No. 401K is keyable to most Master Lock Co. No. 1525 key systems.**

**No. 400K Combination Padlock.** Same as No. 300, but with 4-pin tumbler security key control for supervisory locker inspection. Free control chart listing combinations. Two free control keys with each purchase. Factory records are maintained for future purchases with same key number. Control keys available only from factory. Sold for locker installations only.

**No. 401K Combination Padlock.** Same as No. 400K but key control is designed to key into most Master Lock Co. No. 1525 key systems.



**Nos. 400K and 401K**



### No. 771

Built-in Combination Lock (Automatic). For locker installations. Fits standard locker piercings.

## BUILT-IN COMBINATION LOCK Features 7 instant combination changes without opening locker door.

- BLUE dial face is standard.
- For added security, has dial "Scrambler" feature which automatically moves the dial off the last number, when locker is opened.
- Polished stainless steel escutcheon; has two concealed attaching bolts.
- Smooth, friction-free 3-number combination with 50 dial numbers provide maximum security . . . 125,000 possible combinations.
- To provide extra security, the Change key *changes* the combination only; the Control key (for supervisory inspection) *opens* the lock only. Both keys available only from factory are designed to prevent unauthorized duplication. The Control key may be keyed to also fit No. 300K Combination Padlock.
- Free control chart listing all 7 combination changes for each lock.
- Two free Change and Control Keys with each installation.
- No. 771**—Built-In Combination Lock (Automatic). For use on lockers hinged on right side and with automatic locking rod mechanism. Self-locking.
- No. 772**—Same as above, but for lockers hinged on left side.




# HASP SECURITY



## ALL HARDENED SUPER-SECURITY HASPS



**No. 825**



**No. 850**



**No. 535**

These solid steel hasps are heavy-duty case-hardened and cadmium plated. They match the great strength of American padlocks. Where maximum protection is desired, should be used with American No. 600, H-10 padlocks, or No. 2000 shackleless lock.

### **No. 825**

Has solid hardened steel straight bar as shown. When hasp is closed, recessed screws are concealed. Unit comes complete with screws ready to install.

**No. 825C**—Same as 825, but carded.

### **No. 850**

Has solid hardened steel 90° angle bar as shown. When hasp is closed, recessed screws are concealed. Unit comes complete with screws ready to install.

**No. 850C**—Same as 850, but carded.


### **No. 535**

Designed especially for use with the No. 2000 shackleless lock. Solid all hardened steel for vending machines and other applications. Includes hardened backup plates and bolts. Dimensions: 5" x 2" x 3/8".

**American**



*When maximum protection is needed, use an all-hardened American padlock with these hasps.*



**No. 525**

For vending machines, trucks and doors. Solid all hardened steel construction. Includes hardened backup plates and bolts. Dimensions: 5" x 2" x 3/8". No. 600 or H-10 are recommended padlocks.

### **No. 526**

Same features as No. 525, except one side of hasp is straight (not angle)

## MULTI-PURPOSE TOP SECURITY Flex-O-Hasp Hinged Hasps

These rugged hinged hasps made of extra heavy wrought steel, are designed for hard-to-fit applications where it is necessary to follow contours. Hinges and staples are hardened; entire unit is plated for protection against corrosion. Single and double hinged models. All hinge pins are inaccessible; all screws are concealed. Mounting screws are free. See page 11 for details about Display Board HSC-2.

**No. 875**—Single hinged Flex-O-Hasp.


**No. 875C**—Same as 875, but carded.

**No. 875A**—Same as 875, but has larger hardened staple for No. 2000 Superlock only.



**No. 885**—Double hinged Flex-O-Hasp.

**No. 885C**—Same as 885, but carded.


**No. 885A**—Same as 885, but has larger hardened staple for No. 2000 Superlock only.



**No. 875**



**No. 885**





# American




**All American padlocks are available with chain attached to shackle.**

## MILITARY AND GOVERNMENT PADLOCKS

American Lock Company offers the most complete range of government type padlocks manufactured in strict accordance with military and federal specifications (See conversion table below).

The Brass padlocks at the left are available in groups for special purposes such as government padlock sets (MS21313), ship sets and commercial needs with special stamping, master keying, grandmaster keying and with chains.



- ☐ Deadlocking or key retaining construction
- ☐ Heel and toe locking
- ☐ 5-pin tumblers.
- ☐ Solid case and shackle
- ☐ Solid inner brass construction
- ☐ Marked US in 1/4" letters



MS 90DL

Stock number	Case material	Shackle material	(A) Case width	Shackle diameter	(B) Shackle clearance	(C) Inside shackle width	(D) Overall length	Weight each
MS 90DL	Solid brass	Brass	1 1/8"	3/16"	5/8"	5/8"	1-15/16"	5 1/2 oz.
MS100DL	Solid brass	Brass	1 1/2"	1/4"	3/4"	3/4"	2-5/16"	6 oz.
MS103DL	Solid brass	Brass	1 1/2"	1/4"	2 1/2"	3/4"	4 3/8"	6 1/2 oz.
MS200GL	Solid hardened steel	Hardened steel	1 3/4"	5/16"	1 1/8"	3/4"	3-1/16"	9 oz.

Packed one to box; 12 to carton



MS100DL

## CONVERSION TABLE—Government Padlocks

### WHEN ORDERING GOVERNMENT PADLOCKS...

- ☐ First look for National stock number or Military specification number.
- ☐ Look for NSN number.
- ☐ Perhaps NSN number is different or not given; then use description.
- ☐ All Government padlock stock numbers start with NSN 5340 which is Miscellaneous Hardware.
- ☐ Note: NSN is new nomenclature for previous FSN.



MS200GL

	FEDERAL OR MILITARY DESCRIPTION	AMERICAN PADLOCK NUMBER
FEDERAL SPECIFICATION FF-P-101E (GSA-FSS)	Type EF (1-1/2" case width) NSN 5340-00-664-1319	AC20
	Type EF (1-3/4" case width) NSN 5340-00-664-1320	LC-30
	Type EPA (1-1/8" case width) NSN 5340-00-526-1677	95
	Type EPA (1-1/2" case width) NSN 5340-00-664-1321	105
	Type EPA (1-3/4" case width) NSN 5340-00-664-1324	205
	Type EPA (1-3/4" case width) NSN 5340-00-664-1322	205 w/chain
	Type EC (2" case width) NSN 5340-00-205-5513, 5340-00-298-7158, 5340-00-514-2782	300
MILITARY SPECIFICATION MIL-P-17802D	MS35647-1 (1-1/8" case width) NSN 5340-00-682-1507	MS90 w/chain
	MS35647-2 (1-1/8" case width) NSN 5340-00-582-2742	MS90
	MS35647-3 (1-1/2" case width) NSN 5340-00-682-1508, 5340-00-286-4844	MS100 w/chain
	MS35647-4 (1-1/2" case width) NSN 5340-00-582-2741	MS100
	MS35647-5 (1-1/2" case width, long shackle) NSN 5340-00-004-5180	MS103 w/chain
	MS35647-6 (1-1/2" case width, long shackle) NSN 5340-00-682-1645	MS103
	MS35647-9 (1-3/4" case width) NSN 5340-00-158-3807	MS200GL w/chain
	MS35647-10 (1-3/4" case width) NSN 5340-00-158-3805	MS200GL

NOTE: Our locks also meet MS21313 for padlocks sets but there are now 137 different set designations and it would be impossible to list them all. Please write factory for quotations.

When ordering locks to meet Government specifications, please send Government description in addition to American padlock model number to avoid mistakes.



# PARTS KITS, KEY BLANKS, CYLINDERS, SHACKLE CHAINS AND SPECIALTIES

**American**



## REPLACEMENT PARTS KITS


Each kit contains replacement parts to repair or service American padlocks as indicated. Contains pre-packaged parts, including 3 replacement cylinders, springs, pins, retainers, tumblers etc. Kit is made of sturdy, clear plastic—11" x 6" x 2 1/4".

**No. PTL-18** For 5-Pin Tumbler Padlocks.

**No. ALSK-18** For 10-Blade Tumbler Padlocks.

**No. TCR-1** For Tubular Cylinder Padlocks.

**All padlocks  
come with two  
brass keys  
unless otherwise  
stated.**




**No. PTC-5S**

For American No. 600 5-pin tumbler padlocks.

**No. PTC-6S**

For American No. 600 6-pin tumbler padlocks.




**No. 747-C1**

For American No. 747 padlock only.

## REPLACEMENT CYLINDERS

Extruded brass or hardened steel as shown. When master keying is required, add suffix MK; when grandmaster keying is required add suffix GMK to cylinder number. (NOTE: 10-blade tumbler padlock cylinders available keyed alike or different only). All cylinders, except HTC, available uncoded by adding suffix U to cylinder number.

For details about special section keyways, see price list.




**No. PTC-5**

For all American 5-pin tumbler padlocks, except No. 600.


**No. PTC-6**

For all American 6-pin tumbler padlocks, except No. 600.



**No. PT-2000**

For American No. 2000 Superlock only. Extruded brass and hardened steel as shown.



**No. HTC**


For American tubular cylinder padlocks. Hardened steel.



**No. BTC**

For American 10-blade tumbler padlocks.

## SHACKLE CHAINS



Nine-inch plated steel or solid brass chains are available riveted onto shackle by clevis. When ordering, add suffix of number shown below to padlock number.

**No. ZPC**—Standard 9" length for most American padlocks.

**No. NPC**—Nickel plated 9" length for combination padlock.

**No. SBC**—Solid brass 9" length for padlocks with brass shackles.

## SPECIALTIES

- Deadlocking or key-retaining feature is available on all padlocks at no extra charge if incorporated on original order.
- Restricted keyways are available at extra cost for special high security installations.
- Six-pin tumbler cylinders are available for all pin tumbler removable cylinder padlocks.
- Duplicate cut keys.

## KEY BLANKS

Top quality key blanks are perfectly machined to assure a perfect fit in American padlocks. Packed 50 per box.



**No. BKB.** Brass key blanks double bitted for 10-blade tumbler padlocks.



**No. PTKB-1.** Brass key blanks for 5-pin tumbler padlocks.

**No. PTKB-2.** Brass key blanks for 6-pin tumbler padlocks.



**No. PT747-1.** Brass key blanks for No. 747 padlocks only.




**No. HTKB-7.** Plated steel key blanks for tubular cylinder padlocks.



# American



Select one or more of these attractive display boards and merchandisers. They help you sell.




**No. LDB-4 Display Board**

A total padlock security center!


This attractive display board is FREE with purchase of 2 each of the 42 units shown on the board. Attractive wood-grained finish provides eye-appealing contrast to the padlocks. Colorful header. Size: 24" wide x 48" high.

## DISPLAY BOARDS—MERCHANDISERS.




**No. DB-6 Display Board**

For counter or wall mounting. Sturdy, attractive red, white, and blue. Completely assembled as shown with backup stock. Includes two each of Nos. 95, 105, 205, 100, 200, 600, 825 (Hasp) and 300. One additional No. 105 is included free; display board is free. Size: 11" wide x 18" high.




**No. DBB-2 Display Board**

Vivid red, white and blue display board contains 3 high security brass padlocks with backup stock of one each of Nos. 530, 560, and 570. Size: 9" wide x 14" high. Ready for use. Board is free with offer.



**DB-SS1 Display Board**

For promoting the sale of super-security padlocks, this attractive board includes Nos. 100, 200, 260, 102, 201, and 600. Backup stock of one each. All padlocks are solid hardened steel with various shackle lengths. Size: 11 3/4" wide x 18 1/2" high. For counter use or may be wall mounted. Board is free with offer.



**No. R-1 Merchandiser**

This compact merchandiser 12 1/2" wide x 19 1/2" high is for counter use or may be mounted on pegboard. Includes 28 of the most popular solid steel, combination, and laminated padlocks, all carded for easy impulse sales. Sturdy, steel rack free with offer.




.... Colorful, Sales Stimulating .....

**NEW**



#### No. DB-2000 Display Board

Colorful red, white, and blue display board to promote the sale of the new No. 2000 shackleless Superlock and the No. 825 all-hardened Hasp. Includes 3 each of No. 2000 Superlock and No. 825 Hasp (One of each is mounted with backup stock of 2 each) Display Board is self-standing or may be wall mounted. Size: 10½" wide x 15" high. Display Board is free with offer.




#### No. HSC-2 Display Board

This Hasp Security Center featuring the ultra-security theme, is in dramatic red, white, and blue colors, for super eye appeal. Board is self-standing for counter or window use or may be wall or pegboard mounted. Contains 18 hasps; 6 each of Nos. 875 and 825; 3 each of Nos. 885 and 850. (One of each is mounted; balance is backup stock.) Size: 12" wide x 18½" high. Board is free with offer.

**American**



Convenient self-standing display boards may also be wall or pegboard mounted.




#### DB-HS-1 Display Board

A colorful, compact display board to help sell one of American's top security hasp set. Size: 9" wide x 14" high. Contains No. 825 Hasp and No. 600 pin tumbler padlock; all hardened steel. Includes backup stock of one each. Board is free with offer.


### KEYING ARRANGEMENTS

#### Keyed-Alike (KA)




All padlocks have the same (interchangeable) keys. When ordering add KA to padlock number.

#### Master-Keyed (MK)



One master key opens all padlocks, yet each padlock has a different individual key. When ordering add MK to padlock number. Available on all pin tumbler padlocks except Series 95 and MS90DL.

#### Grand-Master Keyed (GMK)



One grandmaster key opens various sets of master-keyed padlocks as shown. Available on all pin tumbler padlocks except Series 95 and MS90DL. When ordering add GMK to padlock number.



# American





All American padlocks have steel balls that lock them solid.



## COLORFUL PACKAGING MAKES SELLING EASIER and FASTER

American padlocks and hasps are individually boxed and/or carded as shown here. All designed to help your customers sell themselves. Carded items may be peg-board hung or used on display racks and merchandisers.



## American lock company

Exchange Road & Kedzie Avenue, Crete, Illinois 60417  
(312) 534-2000

DISTRIBUTED BY

QUALITY SINCE 1912